

**CHAPTER 10 – PLANNING, ZONING, AND SUBDIVISIONS**  
**ARTICLE 1 – ZONING ORDINANCE**

**SECTION 10-1.200 – SINGLE FAMILY RESIDENTIAL DISTRICT (RS)**

**SEC. 10-1.215 - USES PERMITTED.**

b. Secondary Uses. The following uses are permitted as secondary or subordinate uses to the primary uses permitted in the RS District:

(1) Residential Uses.

- (a) ~~Attached second dwelling unit. (Also referred to as a "Granny or in-law unit." See Section 10-1.245n, for criteria)~~ **Accessory dwelling unit. (Also referred to as "Granny flat, in-law unit, second dwelling unit." See Section 10-1.2740 for criteria and standards.**
- (b) Second single-family dwelling. (Where one single-family dwelling already exists on a lot, one additional single-family dwelling may be constructed provided the minimum development standards (lot size, setbacks, height, etc., can be met for each dwelling).

**SEC. 10-1.245 - MINIMUM DESIGN AND PERFORMANCE STANDARDS.**

~~n. Second Dwelling Unit, Attached ("Granny or in-law unit"). An attached second dwelling unit ("Granny or in-law unit") may be constructed in accordance with the following standards:~~

- ~~(1) An attached second dwelling unit may only be added to an existing detached single family dwelling on a parcel containing no other dwellings, and which has at least two covered parking spaces, with at least one common wall between the attached second dwelling unit and the living or garage area of the existing dwelling.~~
- ~~(2) An attached second dwelling unit shall contain no more than one bedroom, shall be a minimum of 400 square feet in area and shall not exceed 640 square feet in area. No additional covered parking shall be provided.~~
- ~~(3) Any separate entry constructed for an attached second dwelling unit shall be located only in the side, side street (if approved by the Planning Director) or rear yard.~~
- ~~(4) An attached second dwelling unit shall be counted as part of the primary building coverage requirements and also shall conform to all required lot, yard, and height requirements.~~
- ~~(5) An attached second dwelling unit shall not be sold separately from the primary dwelling, but it may be rented.~~
- ~~(6) An attached second dwelling unit shall only be approved where the owner of the existing dwelling has applied for the building permit and where same owner resides in the primary dwelling at the time of application and occupancy of the attached second dwelling.~~
- ~~(7) Unless exempted, as determined by the Building Official, the primary or existing dwelling and the attached second dwelling unit shall conform to all applicable City code requirements; for example, building, fire, plumbing, electrical. A Certificate of Occupancy shall have been obtained for both units prior to occupancy of the attached second dwelling.~~

- ~~(8) An attached second dwelling unit shall not be located within the garage area or a converted garage area of the existing dwelling unless adequate substitute 2-car garage parking is provided outside required front, side, and side street yards.~~
- ~~(9) The exterior design of the attached second dwelling unit shall appear to constitute an integral part of the primary dwelling and not a separate dwelling unit.~~

**SECTION 10-1.300 - RESIDENTIAL NATURAL PRESERVATION DISTRICT (RNP)**

**SEC. 10-1.315 - USES PERMITTED.**

b. Secondary Uses. The following uses are permitted as secondary or subordinate uses to the primary uses permitted in the RNP District:

(1) Residential Uses.

- (a) ~~Attached second dwelling unit. (Also referred to as a "Granny or in-law unit." See Section 10-1.245n., for criteria)~~ Accessory dwelling unit. (Also referred to as "Granny flat, in-law unit, second dwelling unit." See Section 10-1.2740 for criteria and standards.

**SECTION 10-1.400 - MEDIUM DENSITY RESIDENTIAL DISTRICT (RM)**

**SEC. 10-1.415 - USES PERMITTED.**

b. Secondary Uses. The following uses are permitted as secondary or subordinate uses to the uses permitted in the RM District:

(1) Residential Uses.

- (a) ~~Attached second dwelling unit. (Also referred to as a "Granny or in-law unit." See Section 10-1.245n., for criteria)~~ Accessory dwelling unit. (Also referred to as "Granny flat, in-law unit, second dwelling unit." See Section 10-1.2740 for criteria and standards.
- (b) Second single-family dwelling. (Where one single-family dwelling already exists on a lot, one additional single-family dwelling may be constructed provided the minimum development standards (lot size, setbacks, height, etc., can be met for each dwelling)

**SEC. 10-1.445 - MINIMUM DESIGN AND PERFORMANCE STANDARDS.**

~~q. Second Dwelling Unit, Attached ("Granny or in-law unit"). An attached second dwelling unit ("Granny or in-law unit") may be constructed in accordance with the following standards:~~

- ~~(1) An attached second dwelling unit may only be added to an existing detached single-family dwelling on a parcel containing no other dwellings, and which has at least two covered parking spaces, with at least one common wall between the attached second dwelling unit and the living or garage area of the existing dwelling.~~

- ~~(2) An attached second dwelling unit shall contain no more than one bedroom, shall be a minimum of 400 square feet in area and shall not exceed 640 square feet in area. No additional covered parking shall be provided.~~
- ~~(3) Any separate entry constructed for an attached second dwelling unit shall be located only in the side, side street (if approved by the Planning Director) or rear yard.~~
- ~~(4) An attached second dwelling unit shall be counted as part of the primary building coverage requirements and also shall conform to all required lot, yard, and height requirements.~~
- ~~(5) An attached second dwelling unit shall not be sold separately from the primary dwelling, but it may be rented.~~
- ~~(6) An attached second dwelling unit shall only be approved where the owner of the existing dwelling has applied for the building permit and where same owner resides in the primary dwelling at the time of application and occupancy of the attached second dwelling.~~
- ~~(7) Unless exempted, as determined by the Building Official, the primary or existing dwelling and the attached second dwelling unit shall conform to all applicable City code requirements; for example, building, fire, plumbing, electrical. A Certificate of Occupancy shall have been obtained for both units prior to occupancy of the attached second dwelling.~~
- ~~(8) An attached second dwelling unit shall not be located within the garage area or a converted garage area of the existing dwelling unless adequate substitute 2-car garage parking is provided outside required front, side, and side street yards.~~
- ~~(9) The exterior design of the attached second dwelling unit shall appear to constitute an integral part of the primary dwelling and not a separate dwelling unit.~~

**SECTION 10-1.500 - HIGH DENSITY RESIDENTIAL DISTRICT (RH)**

**SEC. 10-1.515 - USES PERMITTED.**

b. Secondary Uses. The following uses are permitted as secondary or subordinate uses to the uses permitted in the RH District:

(1) Residential Uses.

- ~~(a) Second dwelling unit attached to single family dwelling. (Also referred to as a "Granny Unit." See Section 10-1.545.g for criteria.)~~

**SEC. 10-1.545 - MINIMUM DESIGN AND PERFORMANCE STANDARDS.**

~~q. Second Dwelling Unit, Attached ("Granny or in-law unit"). An attached second dwelling unit ("Granny or in-law unit") may be constructed in accordance with the following standards:~~

- ~~(1) An attached second dwelling unit may only be added to an existing detached single-family dwelling on a parcel containing no other dwellings, and which has at least two covered parking spaces, with at least one common wall between the attached second dwelling unit and the living or garage area of the existing dwelling.~~
- ~~(2) An attached second dwelling unit shall contain no more than one bedroom, shall be a minimum of 400 square feet in area and shall not exceed 640 square feet in area. No additional covered parking shall be provided.~~

- ~~(3) Any separate entry constructed for an attached second dwelling unit shall be located only in the side, side street (if approved by the Planning Director) or rear yard.~~
- ~~(4) An attached second dwelling unit shall be counted as part of the primary building coverage requirements and also shall conform to all required lot, yard, and height requirements.~~
- ~~(5) An attached second dwelling unit shall not be sold separately from the primary dwelling, but it may be rented.~~
- ~~(6) An attached second dwelling unit shall only be approved where the owner of the existing dwelling has applied for the building permit and where same owner resides in the primary dwelling at the time of application and occupancy of the attached second dwelling.~~
- ~~(7) Unless exempted, as determined by the Building Official, the primary or existing dwelling and the attached second dwelling unit shall conform to all applicable City code requirements; for example, building, fire, plumbing, electrical. A Certificate of Occupancy shall have been obtained for both units prior to occupancy of the attached second dwelling.~~
- ~~(8) An attached second dwelling unit shall not be located within the garage area or a converted garage area of the existing dwelling unless adequate substitute 2-car garage parking is provided outside required front, side, and side street yards.~~
- ~~(9) The exterior design of the attached second dwelling unit shall appear to constitute an integral part of the primary dwelling and not a separate dwelling unit.~~

#### **SEC. 10-1.600 – RESIDENTIAL-OFFICE DISTRICT (RO)**

##### **SEC. 10-1.615 - USES PERMITTED.**

b. Secondary Uses. The following uses are permitted as secondary or subordinate uses to the uses permitted in the RO District:

##### **(1) Residential Uses.**

- ~~(a) Attached second dwelling unit. (Also referred to as a "Granny or in-law unit." See Section 10-1.245.n for criteria)~~
- ~~(b) Second single-family dwelling. (Where one single-family dwelling already exists on a lot, one additional single-family dwelling may be constructed provided the minimum development standards (lot size, setbacks, height, etc.) can be met for each dwelling.~~

#### **SECTION. 10-1.2740 - ACCESSORY DWELLING UNITS**

##### **SEC. 10-1.2741 PURPOSE.**

The ordinance codified in this section establishes regulations for the construction of accessory dwelling units subordinate to single-family dwellings. Accessory dwelling units provide housing opportunities in a flexible manner to address the unmet demand for affordable housing and achieve the goals, objectives, and policies of the Housing Element and General Plan to provide a diverse mix of housing options for the community.

##### **SEC. 10-1.2742 DEFINITIONS.**

- a. “Accessory dwelling unit(s)” shall be defined as an attached, detached, or internal residential dwelling unit which provides complete independent living facilities for one or more persons. It shall include permanent provisions for living, sleeping, eating, cooking, and sanitation and shall be located on the same parcel an existing single-family dwelling is situated or to be situated with the proposed development of single-family dwelling(s).

**SEC. 10-1.2743 LOCATION CRITERIA.**

- a. Accessory dwelling units shall only be permitted as accessory uses in the Single-Family Residential (RS), Residential Nature Preservation (RNP), Medium-Density Residential (RM), Agricultural (A) zoning districts, and in the T-3 Suburban zoning district in the Mission Boulevard Corridor Form-Based Code area, where one legally constructed single-family dwelling exists as the primary structure on the parcel.
- b. Accessory dwellings units shall not be permitted in Planned Development (PD) zoning districts, unless otherwise constructed at the time of development as an amenity.

**SEC. 10-1.744 DESIGN AND DEVELOPMENT STANDARDS.**

All proposed accessory dwelling units shall comply with the following design and development standards:

- a. Quantity. On any one parcel of land, no more than one accessory dwelling unit shall be allowed regardless of the number of single-family dwellings located on the lot.
- b. Unit Size. All proposed accessory dwelling units shall not exceed 50-percent of the habitable floor area of the existing single-family residence or 1,200 square-feet, whichever is less. Habitable floor area calculation shall not include garages, detached accessory structures, patio covers, porches, covered and uncovered balconies, and decks as determined by the Planning Director.
- c. Maximum Number of Bedrooms. Accessory dwelling units shall not exceed a maximum of two bedrooms as sleeping quarters.
- d. Attached Units. Accessory dwelling units proposed to be attached to the primary residence shall comply with the development standards set forth by the underlying zoning for the primary structure including, but not limited to, setbacks, lot coverage, height, and architectural compatibility.
- e. Detached Units. Accessory dwelling units proposed to be detached from the primary residence shall comply with the minimum design and performance standards set forth by the underlying zoning district for detached, accessory and secondary structures including, but not limited to, setbacks, lot coverage, height, distance between structures, location and architectural compatibility.
- f. Setbacks. Accessory dwelling units proposed to be constructed atop of existing, legal detached garages shall provide a minimum five-foot setback from the interior side and rear property lines, unless a greater setback is required pursuant to Building and Fire standards or the property is a corner lot which shall comply with the minimum street-side setback requirements. Accessory

dwelling units proposed to be attached or detached shall conform to the development standards and performance standards set forth in the underlying zoning district.

- g. Height Restrictions. Accessory dwelling units shall comply with the following height restrictions based on the proposed location of the unit:
  - (1) Accessory dwelling units attached to the primary structure shall comply with the height limitations of the underlying zoning district for the principal structure.
  - (2) Accessory dwelling units to be detached from the primary structure shall be limited to the height restrictions set forth in the underlying zoning district for detached, accessory and secondary structures.
  - (3) Accessory dwelling units proposed to be constructed atop of legally constructed detached garages shall be subject to the review and approval of a discretionary Site Plan Review application in accordance with Section 10-1.3000 of the Hayward Municipal Code. In order to deny a Site Plan Review application, the Planning Director shall find that the accessory dwelling unit would be detrimental to the public health and safety or would introduce unreasonable privacy impacts to the immediate neighbors. In any instance, the accessory dwelling unit shall be limited to the maximum height restriction of the primary structure within the underlying zoning district
- h. Independent Exterior Access. Accessory dwelling units shall provide an independent exterior access separate from the primary residence. The separate entry constructed for the accessory dwelling unit shall not face the street or the public right-of-way.
- i. Owner Occupancy. The legal property owner of the lot shall be required to reside in either the primary residence or the accessory dwelling unit located on the parcel. At no time shall the property owner rent the primary dwelling and the accessory dwelling unit separately or allow the main house and the accessory dwelling unit to be sublet individually while the property owner resides elsewhere.
  - i. The accessory dwelling unit shall not be sold separately from the principal residence. The rental and lease period for either unit shall be longer than a minimum of 30-days and shall not be utilized as a short-term rental.
- j. Fire Sprinklers. Accessory dwelling units shall not be required to be equipped with fire sprinklers unless fire sprinkler installation is required for the primary dwelling
- k. Park Dedication In-Lieu Fees. Each accessory dwelling unit whether detached, attached, or internal shall be required to pay the applicable Park-Dedication In-Lieu fee as set forth in Chapter 10, Article 16 of the Hayward Municipal Code (Property Developers – Obligations for Parks and Recreation) prior to the date of final inspection or the date the Certificate of Occupancy is issued for the development, whichever occurs first.
- l. Private Sewage System. If the accessory dwelling unit is proposed to incorporate or utilize a private sewage disposal system (e.g. septic tank or on-site wastewater treatment system), the applicant shall be required to provide documentation and proof by the Alameda County Department of Environmental Health at the time of application. No private sewage disposal shall be permitted where there is an available public sewer within 200-feet, measured along streets.

alleys, or public right-of-way upon which a lot abuts pursuant to Chapter 11, Article 3 (Sanitary Sewer System) of the Hayward Municipal Code.

**SEC. 10-1.2745 ADDITIONAL PROVISIONS FOR THE CONVERSION OF EXISTING STRUCTURES TO CREATE ACCESSORY DWELLING UNITS.**

- a. Setbacks. No side or rear yard setback shall be required for an existing, legally constructed garage or accessory structure that is converted into an accessory dwelling unit provided it is sufficient for fire safety standards as determined by the Hayward Fire Department and Chief Building Official.
- b. Utility Connection Fees. Accessory dwelling units constructed within the building envelope of the existing principal residence, garage, or accessory structure shall not be required to install a new or separate utility connection directly between the accessory dwelling unit and the utility or impose a related connection fee or capacity charge.
- c. Parking. No additional parking shall be required if the accessory dwelling unit is located within the existing building envelope of the primary residence or accessory structure, unless it involves the conversion of a garage or reduction of the off-street parking requirement for the parcel.

**SEC. 10-1.2746 PARKING.**

Accessory dwelling units shall be required to provide parking in accordance with the following requirements:

- a. Parking Requirement for Primary Residence. In any instance, the property shall be required to meet the minimum parking requirement as set forth in Chapter 10, Article 2, Off-Street Parking Regulations for the principal residence prior to or concurrent with the application for an accessory dwelling unit.
- b. New Units. Accessory dwelling units that are proposed as a studio or one-bedroom shall be required to provide one additional parking space, and accessory dwelling units with two bedrooms shall be required to provide two parking spaces on the same lot as the unit in a covered, uncovered, or tandem configuration. Parking spaces may be located in the required setbacks provided the proposed location complies with the landscaping requirement in the front yard and minimum standards set forth within the Off-Street Parking Regulations for open parking spaces, unless otherwise approved by the Planning Director.
- c. Garage Conversions. Where garages are converted for the purpose of creating an accessory dwelling unit, replacement off-street parking shall be provided on the same lot as the unit in either a covered, uncovered, or tandem configuration provided the proposed location complies with the landscaping requirement in the front yard and the minimum standards set forth within the Off-Street Parking Regulations for open parking spaces, unless otherwise approved by the Planning Director.
- d. Parking Requirement Exemptions. Off-street parking shall not be required for accessory dwelling units if any of the following circumstances apply:
  - (1) The unit is located within one-mile of public transit and bus stations.

- (2) The unit is located within an architecturally and historically significant historic district.
- (3) Where there is designated car-share vehicle parking within one block of the unit.

**SEC. 10-1.2747 PERMIT REQUIRED.**

Unless otherwise noted in this Ordinance, the applicant shall be required to obtain the approval of a Zoning Conformance Permit by the Planning Division prior to the submittal of a building permit application to the Building Division. Zoning Conformance Permits shall either be disapproved or approved within 120 days of the submission of a complete application. Application submittal requirements for an Accessory Dwelling Unit shall include the following items, in addition to the required fees for each accessory dwelling unit proposed in accordance with the adopted Master Fee Schedule:

- a. Project Plans. The applicant shall be required to provide a site plan, floor plan, elevations, and cross sections of the proposed accessory dwelling unit drawn to scale. Plans shall include minimal project information, dimensions, and calculations including, but not limited to the proposed setbacks, lot coverage, height, distance between structures, square-footage, easements, materials, etc. as required by the Planning Director or his/her designee.
- b. Deed Restriction. Prior to the issuance of a building permit for the accessory dwelling unit, the property owner shall file with Alameda County Recorder a deed restriction approved by the City stating compliance with provisions of this Ordinance and Hayward Municipal Code and such deed is binding upon any successor in ownership of the property, and lack of compliance shall be grounds for Code Enforcement action and removal of the accessory dwelling unit.

**SECTION 10-1.3500 – DEFINITIONS**

**SEC. 10-1.3510 - USES AND ACTIVITIES DEFINED.**

DWELLING UNIT. One or more rooms with a single kitchen, arranged, designed, used, or intended to be used exclusively for living and sleeping purposes by one family as an independent housekeeping unit. Other definitions include the following:

- a. Accessory dwelling unit: An attached, detached, or internal residential dwelling unit which provides complete independent living facilities for one or more persons. It shall include permanent provisions for living, sleeping, eating, cooking, and sanitation and shall be located on the same parcel an existing single-family dwelling is situated or to be situated with the proposed development of single-family dwelling(s). See Section 10-1.2740 for criteria and standards.
- b. Apartment/multiple family dwelling(s): Any building, group of buildings, or portion thereof which includes two or more dwelling units, and which are intended as ownership units, or in the case of apartments, rental or for lease units. Apartment/multiple family dwelling projects may include private recreational facilities. See Sections [10-1.400](#) and [10-1.500](#) for requirements.



- c. Condominium dwelling(s): Any building, group of buildings, or portion thereof which includes two or more dwelling units, and for which there is a final map or parcel map. Condominium dwelling projects are usually governed by a Homeowners Association (HOA) with Covenants, Codes and Restrictions (CC&R's), and may include private recreational facilities. See Sections [10-1.400](#) and [10-1.500](#) for requirements. Within a condominium, ownership consists of the airspace within a unit and the building(s) and all land within the development are under common ownership.
- d. Single-family dwelling: A detached building containing only one dwelling unit. See [Section 10-1.200](#) for requirements.
- e. Second Single-family dwelling: A second single-family dwelling permitted on a parcel where there is one existing single-family dwelling already, provided minimum lot size and setbacks can be met for both dwellings separately. See Section 10-1.215.b.(1)(b) for requirements.
- ~~f. Second dwelling unit, Attached: A second dwelling unit attached to an existing owner-occupied single family dwelling which may be rented and contains no more than 640 square feet and no more than one bedroom. Also referred to as a "granny or in-law unit." See Section 10-1.245.n for requirements.~~
- g. Townhouse dwelling(s): Any building, group of buildings, or portion thereof which includes two or more attached dwelling units, and for which there is a final map or parcel map. Townhouse dwelling projects are usually governed by a Homeowners Association (HOA) with Covenants, Codes and Restrictions (CC&R's), and may include private recreational facilities. See Sections [10-1.400](#) and [10-1.500](#) for requirements. Townhouse ownership includes the building, the land beneath the building and typically a patio or small yard adjacent to the structure. The remaining land within the development is under common ownership.

**ARTICLE 2 – OFF-STREET PARKING REGULATIONS**

**SECTION 10-2.310 - RESIDENTIAL USES.**

The number of off-street parking spaces required for residential shall be:

<b>USES</b>	<b>PARKING SPACES REQUIRED</b>
SINGLE-FAMILY DWELLINGS:	2.0 covered per dwelling unit
If a lot abuts a public or private street that has no parking lane on either side of the street or is posted for no parking on both sides of the street.	2.0 covered per dwelling unit plus 2.0 open per dwelling unit, which shall not block access to the covered parking
If a dwelling with a single car garage was built prior to March 24, 1959	1.0 covered per dwelling unit
MULTIPLE-FAMILY DWELLING(S):	
Studio	1.0 covered and 0.50 open per dwelling unit
One-bedroom	1.0 covered and 0.70 open per dwelling unit
Two or more bedrooms	1.0 covered and 1.10 open per dwelling unit
* Ten percent of the multiple family parking spaces required shall clearly be marked for visitor's parking, at least 70 percent of which shall accommodate standard size vehicles. Where less than 10 parking spaces are required, a minimum of one standard parking space shall clearly be marked for visitor's parking.	* Included in the rental cost, a minimum of one covered parking space shall be assigned to each studio and one-bedroom unit, and a minimum of one covered and one uncovered parking space shall be assigned to each two or more bedroom or more units. Assigned unused spaces may not be rented to any other party. Any uncovered space may be covered instead.
MOBILE HOMES	2.0 per mobile home space, plus 1.0 guest parking space per three mobile home spaces within a mobile home park
<del>ATTACHED SECOND-FAMILY UNITS (Granny Units)</del> <u>Accessory Dwelling Unit(s)</u>	<del>No additional parking spaces are required for attached second-family units.</del> <u>See Section 10-1.2740 for parking criteria and standards.</u>

**ARTICLE 24 – SOUTH HAYWARD BART FORM BASED CODE****TABLE 9. SPECIFIC FUNCTION AND USE**

	T4	T5	CS
a. Residential			
Multiple Family	P	P	-
Second Dwelling Unit	<del>P</del> -	<del>P</del> -	-
Live-Work	P	P	-
Small Group Transitional Housing	P	P	-
Large Group Transitional Housing	CU	CU	-
Small Group Supportive Housing	P	P	-
Large Group Supportive Housing	CU	CU	-
Emergency Homeless Shelter	P	-	-

(-) = Not Permitted, (P) = By Right, (AU) = Administrative Use Permit, (CU) = Conditional Use Permit

**SEC. 10-24.230 BUILDING CONFIGURATION**

## a. General to T4 and T5 Zones

- i. Buildings on corner Lots shall have two Private Frontages as shown in Table 15. Prescriptions for the second and third Layers pertain only to the Principal Frontage. Prescriptions for the first Layer pertain to both Frontages.
- ii. All Facades shall be glazed with clear glass no less than 30% of the first Story.
- iii. Stories may not exceed 14 feet in height from finished floor to finished floor, except for a first floor Commercial Function, which shall be a minimum of 14 feet with a maximum of 25 feet. A single floor level exceeding 14 feet, or 25 feet at ground level, shall be counted as two (2) stories. Mezzanines extending beyond 33% of the floor area shall be counted as an additional Story.
- iv. In a Parking Structure or garage, each above-ground level counts as a single Story regardless of its relationship to habitable Stories.
- v. Height limits do not apply to masts or belfries, clock towers, chimney flues, elevator bulkheads, church spires, cupolas, domes, ventilators, skylights, parapet walls, cornices, solar energy systems, or necessary mechanical appurtenances usually located on the roof level, provided that such features are limited to the height necessary for their proper functioning.
- vi. Attics shall not exceed 14 feet in height. Raised basements shall not exceed 3 feet in height up to the finished floor of the first story.

- vii. ~~The habitable area of a Second Dwelling Unit within a Principal Building or an Outbuilding shall not exceed 640 square feet, excluding the parking area.~~ an Accessory Dwelling Unit shall conform to the criteria and standards of Section 10-1.2740 of the Hayward Municipal Code.
- viii. Rooftop improvements shall be required to reduce visual impacts on future buildings that could impact views from existing buildings at higher elevations on the east side of Mission Boulevard, as determined by the Planning Director. Architectural features integral to the building design and solar energy systems should not be screened from view.

**SEC. 10-24.500 – DEFINITIONS AND RULES OF INTERPRETATION**

~~Second Dwelling Unit: a dwelling unit that is accessory, supplementary, and secondary to the principal dwelling, which may be constructed as an addition to the principal structure or as an accessory to the principal structure.~~ Accessory dwelling unit: An attached, detached, or internal residential dwelling unit which provides complete independent living facilities for one or more persons. It shall include permanent provisions for living, sleeping, eating, cooking, and sanitation and shall be located on the same parcel an existing single-family dwelling is situated or to be situated with the proposed development of single-family dwelling(s). See Section 10-1.2740 for criteria and standards.

**ARTICLE 25 – MISSION BOULEVARD CORRIDOR FORM BASED CODE**

**TABLE 9. ALLOWED FUNCTIONS**

	T3	T4-1	T4-2	T5	CS
a. Residential					
Multiple Family	CU	P/CU	P/CU	P/CU	-
Second Dwelling Unit	P	<del>P/CU</del> -	<del>P/CU</del> -	<del>P/CU</del> -	-
Single Family	P	-	-	-	-
Live-Work	-	P/CU	P/CU	-	-
Emergency Homeless Shelter	-	P/CU	P/CU	-	-
Single-Room Occupancy (SRO)	-	-	-	CU	-

(-) = Not Permitted, (P) = By Right, (AU) = Administrative Use Permit, (CU) = Conditional Use Permit

**SEC. 10-25.230 BUILDING CONFIGURATION**

- a. General to T3, T4-1, T4-2 and T5 Zones

- i. Buildings on corner Lots shall have two Private Frontages as shown in Table 15. Prescriptions for the second and third Layers pertain only to the Principal Frontage. Prescriptions for the first Layer pertain to both Frontages.
- ii. All Facades shall be glazed with clear glass no less than 30% of the first Story.
- iii. Stories may not exceed 14 feet in height from finished floor to finished floor, except for a first floor Commercial Function, which shall be a minimum of 14 feet with a maximum of 25 feet. A single floor level exceeding 14 feet, or 25 feet at ground level, shall be counted as two (2) stories. Mezzanines extending beyond 33% of the floor area shall be counted as an additional Story.
- iv. In a Parking Structure or garage, each above-ground level counts as a single Story regardless of its relationship to habitable Stories.
- v. Height limits do not apply to masts or belfries, clock towers, chimney flues, elevator bulkheads, church spires, cupolas, domes, ventilators, skylights, parapet walls, cornices, solar energy systems, or necessary mechanical appurtenances usually located on the roof level, provided that such features are limited to the height necessary for their proper functioning.
- vi. Attics shall not exceed 14 feet in height. Raised basements shall not exceed 3 feet in height up to the finished floor of the first story.
- vii. ~~The habitable area of a Second Dwelling Unit within a Principal Building or an Outbuilding shall not exceed 640 square feet, excluding the parking area.~~ an Accessory Dwelling Unit shall conform to the criteria and standards of Section 10-1.2740 of the Hayward Municipal Code.
- viii. Rooftop improvements shall be required to reduce visual impacts on future buildings that could impact views from existing buildings at higher elevations on the east side of Mission Boulevard, as determined by the Planning Director. Architectural features integral to the building design and solar energy systems should not be screened from view.

#### **SEC. 10-25.600 – DEFINITIONS AND RULES OF INTERPRETATION**

~~Second Dwelling Unit: a dwelling unit that is accessory, supplementary, and secondary to the principal dwelling, which may be constructed as an addition to the principal structure or as an accessory to the principal structure.~~ Accessory dwelling unit: An attached, detached, or internal residential dwelling unit which provides complete independent living facilities for one or more persons. It shall include permanent provisions for living, sleeping, eating, cooking, and sanitation and shall be located on the same parcel an existing single-family dwelling is situated or to be situated with the proposed development of single-family dwelling(s). See Section 10-1.2740 for criteria and standards.